



VG-850Pro

LED GROW LIGHT 8 BARS

Best commercial LED grow light solution for Flowering use only


VG-850Pro

LED GROW LIGHT 8 BARS

Best commercial LED grow light solution for Flowering use only

Description

The VG-850Pro is 8 bars, foldable LED producing 2277 $\mu\text{mol/s}$ with an efficiency of 2.66 $\mu\text{mol/j}$. Maximize your-yields and profits.



Model No.	VG-850Pro
Light Source	Samsung / Osram / Seoul
Spectrum	Full Spectrum
PPF	2277 $\mu\text{mol/s}$
Efficacy	2.66 $\mu\text{mol/J}$
Input Voltage	AC 100 ~ 277V
Input Current	8.5 A ~3.07 A
Frequency	50/60 Hz
Input Power	850 W
Fixture Dimensions	1165*1145*80 mm
Weight	N.G 9.81 kg / G.W 12.31 kg
Temperature Ambient	$\leq 95^{\circ}\text{F}/35^{\circ}\text{C}$
Mounting Height	$\geq 12"$ Above Canopy
Thermal Management	Passive
External Control signal	0-10v
Dimming Option	0%/25%/50%/75%/ 100%/ EXT
Light Distribution	120°
Lifetime	$\geq 50,000$ hrs
Power factor	≥ 0.95
Waterproof Rate	IP65
Warranty	5-years warranty

Summary

Plant Stage	Recommended Height
Germination	20-30inch
Seeding	24inch
Veg	18-24inch
Flower	12-18inch
Fruit	12-18inch

Assembly Instructions

1 Mounting the fixture with four lance hangers are securely snapped in the LED fixtures' fourhooks.

2 Use two people to lift the LED fixture to snap together or wrap the steel rope to the strong enough support structures and get a balanced.




3 The steel rope can wrap more coils to adjust the LED fixture to get the proper height.

4 Another mounting way is shown as picture.

Packaging Information



Carton Size	G.W/Carton	Quantity/Carton
1255*120*685mm	12.31kg	1 pcs



Any Questions & Any Needs, Please Contact Us

 +86-755-27800561

 Info@sz-vaher.com